



Premium Pneumatic Piston Pumps

Product Offering

PNEUMATIC PUMPS

& Accessories

Introducing the NEW ZEELINE by Milton® Premium Piston Pump Series.

Experience unmatched durability and performance with ZEELINE by Milton®'s Premium Series Piston Pumps. Built to withstand the toughest conditions, these high-quality pumps deliver reliable fluid transfer across a broad range of demanding industries. From automotive to industrial applications, ZEELINE's piston pumps set the standard in efficiency and resilience for every fluid delivery need.



PREMIUM SERIES Oil Piston Pumps

Quick Reference Guide



ZE1730P

Our premium series oil pumps are available in 3:1 and 5:1 ratios. Standalone pumps are available for use with custom projects or convenient for replacing existing pumps.

Part No.	Ratio	Flow Rate	Outlet Size	Air Inlet	Working Pressure	Air Consumption	Common Applications
ZE1700P	3:1	6.6 GPM	1/2" NPT	1/4" NPT	87-116 PSI	7 CFM	Oil, Transmission Fluid, Hydraulic Oil
ZE1730P	5:1	7.4 GPM	1/2" NPT	1/4" NPT	87-116 PSI	13.5 CFM	Oil, Transmission Fluid, Hydraulic Oil

FRL Guide

Quick Reference Guide



For optimal performance and maximum longevity our piston pumps require the use of an FRL. Our pump kits include a Made in the USA Milton® brand FRL for added convenience. Also included are one 1/4" L-Style air plug and 1/4" female L-Style air coupler.

Part No.	Ratio	Flow Rate	Outlet Size	Air Inlet	Working Pressure	Air Consumption	Common Applications
ZE1700PK	3:1	6.6 GPM	1/2" NPT	1/4" NPT	87-116 PSI	7 CFM	Oil, Transmission Fluid, Hydraulic Oil
ZE1730PK	5:1	7.4 GPM	1/2" NPT	1/4" NPT	87-116 PSI	13.5 CFM	Oil, Transmission Fluid, Hydraulic Oil



ZE1730PK
ZE1730P Pump w/ Included FRL Kit

PREMIUM SERIES Oil Piston Pumps

Quick Reference Guide

ZEELINE by Milton® offers a wide range of equipment packages that cater to the most demanded needs for automotive and industrial sectors. Custom configurations are available.

3:1 - 16-Gallon Containers



ZE1700PK-16-100

Part No.	Container Size	Suction Tube	Foot Valve	Hose Reel	Delivery Hose	Control Valve type
ZE1700PK-16	16-Gallon	Yes	Yes			
ZE1700PK-16-100	16-Gallon	Yes	Yes		16-Foot	Manual
ZE1700PK-16-200	16-Gallon	Yes	Yes		16-Foot	Digital
ZE1700PK-16-300	16-Gallon	Yes	Yes		16-Foot	Digital Preset
ZE1700PK-16-400	16-Gallon	Yes	Yes	50-Foot		Manual
ZE1700PK-16-500	16-Gallon	Yes	Yes	50-Foot		Digital Preset
ZE1700PK-16-600	16-Gallon	Yes	Yes	50-Foot		Digital

5:1 - 16-Gallon Containers



ZE1730PK-16-600

Part No.	Container Size	Suction Tube	Foot Valve	Hose Reel	Delivery Hose	Control Valve type
ZE1730PK-16	16-Gallon	Yes	Yes			
ZE1730PK-16-100	16-Gallon	Yes	Yes		16-Foot	Manual
ZE1730PK-16-200	16-Gallon	Yes	Yes		16-Foot	Digital
ZE1730PK-16-300	16-Gallon	Yes	Yes		16-Foot	Digital Preset
ZE1730PK-16-400	16-Gallon	Yes	Yes	50-Foot		Manual
ZE1730PK-16-500	16-Gallon	Yes	Yes	50-Foot		Digital Preset
ZE1730PK-16-600	16-Gallon	Yes	Yes	50-Foot		Digital

PREMIUM SERIES Oil Piston Pumps

55-Gallon Containers

ZEELINE by Milton® offers a wide range of equipment packages that cater to the most demanded needs for automotive and industrial sectors. Custom configurations are available.

3:1 - 55-Gallon Containers



ZE1700PK-55-200

Part No.	Container Size	Suction Tube	Foot Valve	Hose Reel	Delivery Hose	Control Valve type
ZE1700PK-55	55-Gallon	Yes	Yes			
ZE1700PK-55-100	55-Gallon	Yes	Yes		16-Foot	Manual
ZE1700PK-55-200	55-Gallon	Yes	Yes		16-Foot	Digital
ZE1700PK-55-300	55-Gallon	Yes	Yes		16-Foot	Digital Preset
ZE1700PK-55-400	55-Gallon	Yes	Yes	50-Foot		Manual
ZE1700PK-55-500	55-Gallon	Yes	Yes	50-Foot		Digital Preset
ZE1700PK-55-600	55-Gallon	Yes	Yes	50-Foot		Digital

5:1 - 55-Gallon Containers



ZE1730PK-55-400

Part No.	Container Size	Suction Tube	Foot Valve	Hose Reel	Delivery Hose	Control Valve type
ZE1730PK-55	55-Gallon	Yes	Yes			
ZE1730PK-55-100	55-Gallon	Yes	Yes		16-Foot	Manual
ZE1730PK-55-200	55-Gallon	Yes	Yes		16-Foot	Digital
ZE1730PK-55-300	55-Gallon	Yes	Yes		16-Foot	Digital Preset
ZE1730PK-55-400	55-Gallon	Yes	Yes	50-Foot		Manual
ZE1730PK-55-500	55-Gallon	Yes	Yes	50-Foot		Digital Preset
ZE1730PK-55-600	55-Gallon	Yes	Yes	50-Foot		Digital

PREMIUM SERIES Oil Piston Pumps

275-Gallon Containers

ZEELINE by Milton® offers a wide range of equipment packages that cater to the most demanded needs for automotive and industrial sectors. Custom configurations are available.

3:1 - 275-Gallon IBC Totes



Part No.	Container Size	Suction Tube	Foot Valve	Hose Reel	Delivery Hose	Control Valve type	Universal Tote Mounting Plate
ZE1700PK-IBC	275-Gallon	Yes	Yes				Yes
ZE1700PK-IBC-100	275-Gallon	Yes	Yes		16-Foot	Manual	Yes
ZE1700PK-IBC-200	275-Gallon	Yes	Yes		16-Foot	Digital	Yes
ZE1700PK-IBC-300	275-Gallon	Yes	Yes		16-Foot	Digital Preset	Yes
ZE1700PK-IBC-400	275-Gallon	Yes	Yes	50-Foot		Manual	Yes
ZE1700PK-IBC-500	275-Gallon	Yes	Yes	50-Foot		Digital Preset	Yes
ZE1700PK-IBC-600	275-Gallon	Yes	Yes	50-Foot		Digital	Yes

ZE1700PK-IBC-600

5:1 - 275-Gallon IBC Totes



Part No.	Container Size	Suction Tube	Foot Valve	Hose Reel	Delivery Hose	Control Valve type	Universal Tote Mounting Plate
ZE1730PK-IBC	275-Gallon	Yes	Yes				Yes
ZE1730PK-IBC-100	275-Gallon	Yes	Yes		16-Foot	Manual	Yes
ZE1730PK-IBC-200	275-Gallon	Yes	Yes		16-Foot	Digital	Yes
ZE1730PK-IBC-300	275-Gallon	Yes	Yes		16-Foot	Digital Preset	Yes
ZE1730PK-IBC-400	275-Gallon	Yes	Yes	50-Foot		Manual	Yes
ZE1730PK-IBC-500	275-Gallon	Yes	Yes	50-Foot		Digital Preset	Yes
ZE1730PK-IBC-600	275-Gallon	Yes	Yes	50-Foot		Digital	Yes

ZE1730PK-IBC-500

ACCESSORIES

PREMIUM SERIES Oil Hose Reels

Oil Delivery

ZEELINE by Milton® offers a professional grade reel offering that cater to the most demanding users in the market. Our premium grade reels are unmatched in quality and will outlast the competition.

Part No.	Hose Length	Max Pressure	Inlet	Outlet	Temp Rating
ZE1230ORP	30-Foot	2320 PSI	1/2" FNPT	1/2" MNPT	-22 to 194°F
ZE1250ORP	50-Foot	2320 PSI	1/2" FNPT	1/2" MNPT	-22 to 194°F



ZE1230ORP



ZE1250ORP

Our automatic hose reels feature two-heavy duty guide rollers and can be adjusted in two positions.

These hose reels come backed by a 2-year warranty.

ACCESSORIES

Digital Control Valves

Oil Delivery

ZEELINE by Milton® offers a professional grade digital control valve offering that caters to the most demanding users in the market. Our premium grade valves are unmatched in quality and will outlast the competition.

Part No.	Spout Type	Tip Type	Thread Type	Accuracy Rating	Temp Rating	Flow Rate
ZE2502P	Flex	Auto	1/2" NPT	± 0.5%	-14 to 140°F	1 to 10 GPM
ZE2503P	Rigid Pipe	Manual	1/2" NPT	± 0.5%	-14 to 140°F	1 to 10 GPM
ZE2504P	Flex	Manual	1/2" NPT	± 0.5%	-14 to 140°F	1 to 10 GPM
ZE2505P	Rigid Pipe	Auto	1/2" NPT	± 0.5%	-14 to 140°F	1 to 10 GPM



ZE2502P



ZE2503P



ZE2504P



ZE2505P

Our control valves feature a light weight aluminum handle for precision control.

PREMIUM SERIES Grease Piston Pumps

Quick Reference Guide

Our premium series grease pumps are available in 60:1 and 70:1 ratios. Standalone pumps are available for use with custom projects or convenient for replacing existing pumps.



ZE1213P

Part No.	Ratio	Container Size	Flow Rate	Outlet Size	Air Inlet	Working Pressure
ZE3574P	60:1	25 to 50 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI
ZE1220P	60:1	120 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI
ZE1213P	70:1	120 Lbs	38.8 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI
ZE1212P	70:1	400 Lbs	38.8 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI

FRL Guide

Quick Reference Guide

For optimal performance and maximum longevity our piston pumps require the use of an FRL. Our pump kits include a Made in the USA Milton® brand FRL for added convenience. Also included are one 1/4" L-Style air plug and 1/4" female L-Style air coupler.



Part No.	Ratio	Flow Rate	Outlet Size	Air Inlet	Working Pressure	Air Consumption	Common Applications
ZE1700PK	3:1	6.6 GPM	1/2" NPT	1/4" NPT	87-116 PSI	7 CFM	Oil, Transmission Fluid, Hydraulic Oil
ZE1730PK	5:1	7.4 GPM	1/2" NPT	1/4" NPT	87-116 PSI	13.5 CFM	Oil, Transmission Fluid, Hydraulic Oil

PREMIUM SERIES Grease Piston Pumps

25-50 Pound Containers

ZEELINE by Milton® offers a wide range of equipment packages that cater to the most demanded needs for automotive and industrial sectors. Custom configurations are available.

60:1 - 25-50 Pound Containers

Part No.	Ratio	Container Size	Flow Rate	Outlet Size	Air Inlet	Working Pressure	Delivery Hose	Control Valve	FRL	Cart
ZE3574P	60:1	25 to 50 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI				
ZE3574PK	60:1	25 to 50 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI	12-Foot	Yes	Yes	
ZE3574PKC	60:1	25 to 50 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI	12-Foot	Yes	Yes	Yes



ZE3574P



ZE3574PK



ZE3574PKC

*All Grease Pump Packages include a drum cover and follower plate.

PREMIUM SERIES Grease Piston Pumps

120 Pound Containers

ZEELINE by Milton® offers a wide range of equipment packages that cater to the most demanded needs for automotive and industrial sectors.

Custom configurations are available.

60:1 - 120 Pound Containers

Part No.	Ratio	Container Size	Flow Rate	Outlet Size	Air Inlet	Working Pressure	Delivery Hose	Control Valve	FRL	Cart
ZE1220P	60:1	120 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI				
ZE1220PK	60:1	120 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI	12-Foot	Yes	Yes	
ZE1220PKC	60:1	120 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI	12-Foot	Yes	Yes	Yes



ZE1220P



ZE1220PK



ZE1220PK

PREMIUM SERIES Grease Piston Pumps

120 Pound Containers

ZEELINE by Milton® offers a wide range of equipment packages that cater to the most demanded needs for automotive and industrial sectors. Custom configurations are available.

70:1 - 120 Pound Containers

Part No.	Ratio	Container Size	Flow Rate	Outlet Size	Air Inlet	Working Pressure	Delivery Hose	Control Valve	FRL	Cart
ZE1213P	70:1	120 Lbs	38.8 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI				
ZE1213PK	70:1	120 Lbs	38.8 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI	12-Foot	Yes	Yes	
ZE1213PKC	70:1	120 Lbs	38.8 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI	12-Foot	Yes	Yes	Yes



ZE1213P



ZE1213PK



ZE1213PKC

*All Grease Pump Packages include a drum cover and follower plate.


PREMIUM SERIES Grease Piston Pumps

400 Pound Containers

ZEELINE by Milton® offers a wide range of equipment packages that cater to the most demanded needs for automotive and industrial sectors. Custom configurations are available.

60:1 - 400 Pound Containers

Part No.	Ratio	Container Size	Flow Rate	Outlet Size	Air Inlet	Working Pressure	Delivery Hose	Control Valve	FRL
ZE1212P	60:1	120 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI			
ZE1212PK	60:1	120 Lbs	56 oz. per minute	1/4" NPT	1/4" NPT	87 to 116 PSI	12-Foot	Yes	Yes



ZE1212P



ZE1212PK

*All Grease Pump Packages include a drum cover and follower plate.

ACCESSORIES

PREMIUM SERIES Grease Hose Reels

Grease Delivery

ZEELINE by Milton® offers a professional grade reel offering that cater to the most demanding users in the market. Our premium grade reels are unmatched in quality and will outlast the competition.

Part No.	Hose Length	Max Pressure	Inlet	Outlet	Temp Rating
ZE1450GRP	50-Foot	5800 PSI	1/4" FNPT	1/4" MNPT	-22 to 194°F



ZE1450GRP

Our automatic hose reels feature two-heavy duty guide rollers and can be adjusted in two positions.

These hose reels come backed by a 2-year warranty.

ACCESSORIES

Grease Control Valves

Grease Delivery

ZEELINE by Milton® offers a professional grade grease control valve offering that caters to the most demanding users in the market. Our premium grade valves are unmatched in quality and will outlast the competition.



Part No.	Spout Type	Inlet Thread Type	Outlet Thread Type	Working Pressure
ZE2537	Rigid Pipe	1/4" NPT	1/8" NPT	7250 PSI
ZE2538	Flex	1/4" NPT	1/8" NPT	7250 PSI

Also Available...



ZE2547

Z-Swivel Joint for Grease Nozzles

Intended for use with ZE2537 and ZE2538 grease nozzles

- Max Pressure: 6,000 PSI
- Inlet and outlet size: 1/4" NPT



Our control valves feature a light weight aluminum handle for precision control.

These hose reels come backed by a 2-year warranty.



GREASE



OIL



FUEL

For more ZEELINE by Milton® products, contact your local dealer or visit our website:

www.zeeline.com

Address:

4500 W. Cortland St.
Chicago, IL 60639 USA

Office: (800) 231-1525 Toll-Free

Web: www.zeeline.com